

Government Product Accessibility Template for Video Teleconferencing

Subpart B -- Technical Standards

Section 1194.21 Software applications and operating systems

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
1194.21(a)	When software is designed to run on a system that has a keyboard, product functions shall be executable from a keyboard where the function itself or the result of performing a function can be discerned textually.	Yes	This applies to QWERTY keyboards.	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform functionality can be utilized and discerned with a keyboard.
1194.21(b)	Applications shall not disrupt or disable activated features of other products that are identified as accessibility features, where those features are developed and documented according to industry standards. Applications also shall not disrupt or disable activated features of any operating system that are identified as accessibility features where the application programming interface for those accessibility features has been documented by the manufacturer of the operating system and is available to the product developer.	Yes		<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform does not disrupt or disable any operating system accessibility functionality in any way.

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
1194.21(c)	A well-defined on-screen indication of the current focus shall be provided that moves among interactive interface elements as the input focus changes. The focus shall be programmatically exposed so that Assistive Technology can track focus and focus changes.	Yes		<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform provides an on-screen current focus indicator.
1194.21(d)	Sufficient information about a user interface element including the identity, operation and state of the element shall be available to Assistive Technology. When an image represents a program element, the information conveyed by the image must also be available in text.	Yes		<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform does not use static images to indicate state changes. State changes use text elements readable by screen-readers.
1194.21(e)	When bitmap images are used to identify controls, status indicators, or other programmatic elements, the meaning assigned to those images shall be consistent throughout an application's performance.	Yes	In this requirement, the term "bitmap" refers to a broad number of image formats, such as .bmp, .gif, .jpeg, .tif and .svg.	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform does not use bitmap images as control images or indicators,
1194.21(f)	Textual information shall be provided through operating system functions for displaying text. The minimum information that shall be made available is text content, text input caret location, and text attributes.	Yes		<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform uses standard HTML-based text using operating system.

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
1194.21(g)	Applications shall not override user selected contrast and color selections and other individual display attributes.	Yes		<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform does not override user selected contrast and color options.
1194.21(h)	When animation is displayed, the information shall be displayable in at least one non-animated presentation mode at the option of the user.	Yes	Self-scrolling and moving text are considered animation.	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform does not use animation to convey notable information.
1194.21(i)	Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Yes	This requirement is also addressed in provision 1194.25(g).	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform's use of color is complemented with text labels to convey information.
1194.21(j)	When a product permits a user to adjust color and contrast settings, a variety of color selections capable of producing a range of contrast levels shall be provided.	Yes	This requirement is also addressed in provision 1194.25(h).	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform provides configurable color selections.

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
1194.21(k)	Software shall not use flashing or blinking text, objects, or other elements having a flash or blink frequency greater than 2 Hz and lower than 55 Hz.	Yes	<p>Other elements include turning graphics on and off or changing between images.</p> <p>This requirement is also addressed in provisions 1194.22(j) and 1194.25(i).</p>	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	<p>The YuJa Enterprise Video Platform does not use blinking or flashing entities to convey meaning.</p>
1194.21(l)	When electronic forms are used, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	Yes	<p>This requirement is also addressed in provision 1194.22(n).</p>	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	<p>The YuJa Enterprise Video Platform provides capabilities to use assistive technologies such as screen-readers with electronic forms.</p>

Section 1194.22 Web-based intranet and Internet information and applications

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
1194.22(a)	A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).	Yes		<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform provides alt-tags for non-text elements.
1194.22(b)	Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.	Yes		<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform provides capabilities for multimedia presentations to have synchronized text alternatives.
1194.22(c)	Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.	Yes		<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform's use of color is complemented with text labels to convey information.
1194.22(d)	Documents shall be organized so they are readable without requiring an associated style sheet.	Yes		<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform can be read without a style sheet.

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
1194.22(e)	Redundant text links shall be provided for each active region of a server-side image map.	Yes		<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform does not use server-side image maps.
1194.22(f)	Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.	Yes		<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform does not use client-side image maps.
1194.22(g)	Row and column headers shall be identified for data tables.	Yes		<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform provides headers for row and column headers within tables.
1194.22(h)	Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.	Yes		<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform's use of tables complies with the manner in which it uses header and data cells.

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
1194.22(i)	Frames shall be titled with text that facilitates frame identification and navigation	Yes		<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform's use of frames use text for identification and navigation purposes.
1194.22(j)	Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	Yes	This requirement is also addressed in provisions 1194.21(k) and 1194.25(i).	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform does not have functionality that would cause the screen to flicker at the specified rate ranges.
1194.22(k)	A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.	Yes	This should only be used as a last resort.	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform does not have a need for equivalent text-only pages.

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
1194.22(l)	When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by Assistive Technology.	Yes		<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform use of scripting languages allows for unimpeded functionality of Assistive Technologies.
1194.22(m)	When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with Section 1194.21(a) through (l).	Yes		<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform uses of plug-ins such as Adobe Flash comply with Section 1194.21(a) – (l).
1194.22(n)	When electronic forms are designed to be completed on-line, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	Yes		<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform provides capabilities to use assistive technologies such as screen-readers with electronic forms.

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
1194.22(o)	A method shall be provided that permits users to skip repetitive navigation links.	Yes		<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform allows for keyboard-only access for skipping navigation links.
1194.22(p)	When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	Yes	This requirement is also addressed in provision 1194.25(b).	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform does not use time-limited input responses.

Section 1194.23 Telecommunications products

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
1194.23(a)	Telecommunications products or systems which provide a function allowing voice communication and which do not themselves provide a TTY functionality shall provide a standard non-acoustic connection point for TTYs. Microphones shall be capable of being turned on and off to allow the user to intermix speech with TTY use.	Yes	This requirement applies if telecommunications products are included in the deliverables of the video teleconferencing system.	<input type="checkbox"/> Fully <input type="checkbox"/> Partially <input checked="" type="checkbox"/> No	The YuJa Enterprise Video Platform does not support TTY integration.

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
1194.23(b)	Telecommunications products which include voice communication functionality shall support all commonly used cross-manufacturer non-proprietary standard TTY signal protocols.	Yes	This requirement applies if telecommunications products are included in the deliverables of the video teleconferencing system.	<input type="checkbox"/> Fully <input type="checkbox"/> Partially <input checked="" type="checkbox"/> No	The YuJa Enterprise Video Platform does not support TTY integration.
1194.23(c)	Voice mail, auto-attendant, and interactive voice response telecommunications systems shall be usable by TTY users with their TTYs.	Yes	This requirement applies to telecommunication services that are procured with telecommunication devices and/or to internal components of these devices.	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform does not have voice mail, auto-attendant, or interactive voice response functionality.
1194.23(d)	Voice mail, messaging, auto-attendant, and interactive voice response telecommunications systems that require a response from a user within a time interval, shall give an alert when the time interval is about to run out, and shall provide sufficient time for the user to indicate more time is required.	Yes	This requirement applies to telecommunication services that are procured with telecommunication devices and/or to internal components of these devices.	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform does not have voice mail, auto-attendant, or interactive voice response functionality.

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
1194.23(e)	Where provided, caller identification and similar telecommunications functions shall also be available for users of TTYs, and for users who cannot see displays.	Yes	Please note this is not limited to Caller ID. Examples of other services include Call Waiting, Call Forwarding, and multiple ring tones.	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform does not have caller identification functionality.
1194.23(f)	For transmitted voice signals, telecommunications products shall provide a gain adjustable up to a minimum of 20 dB. For incremental volume control, at least one intermediate step of 12 dB of gain shall be provided.	Yes	This requirement applies if telecommunications products are included in the deliverables of the video teleconferencing system.	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform provides an adjustable gain setting.
1194.23(g)	If the telecommunications product allows a user to adjust the receive volume, a function shall be provided to automatically reset the volume to the default level after every use.	Yes	This requirement applies if telecommunications products are included in the deliverables of the video teleconferencing system.	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform provides adjustable volume on the receive end.

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
1194.23(h)	Where a telecommunications product delivers output by an audio transducer which is normally held up to the ear, a means for effective magnetic wireless coupling to hearing technologies shall be provided.	Yes	This requirement applies to products such as handset, headset, earphone, or other transducers near the ear.	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform does not use an audio transducer.
1194.23(i)	Interference to hearing technologies (including hearing aids, cochlear implants, and assistive listening devices) shall be reduced to the lowest possible level that allows a user of hearing technologies to utilize the telecommunications product.	Yes	This requirement applies if telecommunications products are included in the deliverables of the video teleconferencing system.	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform does not interfere with assistive learning tools.
1194.23(j)	Products that transmit or conduct information or communication, shall pass through cross-manufacturer, non-proprietary, industry-standard codes, translation protocols, formats or other information necessary to provide the information or communication in a usable format. Technologies which use encoding, signal compression, format transformation, or similar techniques shall not remove information needed for access or shall restore it upon delivery.	Yes	This requirement applies to service provider equipment and software, as well as user equipment and software.	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform complies with this requirement.

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
1194.23(k)(1)	Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be tactilely discernible without activating the controls or keys.	Yes	This requirement applies if telecommunications products are included in the deliverables of the video teleconferencing system.	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform complies with this requirement.
1194.23(k)(2)	Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be operable with one hand and shall not require tight grasping, pinching, twisting of the wrist. The force required to activate controls and keys shall be 5 lbs. (22.2N) maximum.	Yes	This requirement applies if telecommunications products are included in the deliverables of the video teleconferencing system.	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform complies with this requirement.
1194.23(k)(3)	Products which have mechanically operated controls or keys shall comply with the following: If key repeat is supported, the delay before repeat shall be adjustable to at least 2 seconds. Key repeat rate shall be adjustable to 2 seconds per character.	Yes	This requirement applies if telecommunications products are included in the deliverables of the video teleconferencing system.	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform complies with this requirement.

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
1194.23(k)(4)	Products which have mechanically operated controls or keys shall comply with the following: The status of all locking or toggle controls or keys shall be visually discernible, and discernible either through touch or sound.	Yes	This requirement applies if telecommunications products are included in the deliverables of the video teleconferencing system.	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform complies with this requirement.

Section 1194.24 Video and multimedia products

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
--------------	----------------	------------	-------	---	----------------

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
1194.24(a)	All analog television displays 13 inches and larger, and computer equipment that involves consideration of analog television receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, video-tape, and DVD signals. As soon as practicable, but not later than July 1, 2002, widescreen digital television (DTV) displays measuring at least 7.8 inches vertically, DTV sets with conventional displays measuring at least 13 inches vertically, and stand-alone DTV tuners, whether or not they are marketed with display screens, and computer equipment that involves consideration of DTV receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals.	Yes	<p>This requirement applies if the video teleconferencing equipment delivered included monitors.</p> <p>Television displays include a variety of display technologies including but not limited to CRT, plasma, LCD, and rear and front projection technologies.</p>	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	<p>The YuJa Enterprise Video Platform complies with this requirement.</p>
1194.24(b)	Television tuners, including tuner cards for use in computers, shall be equipped with secondary audio program playback circuitry.	Yes	<p>Only stereo tuners can decode SAP.</p> <p>This requirement applies if the video teleconferencing equipment delivered included monitors.</p>	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	<p>The YuJa Enterprise Video Platform complies with this requirement.</p>

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
1194.24(c)	All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain speech or other audio information necessary for the comprehension of the content, shall be open or closed captioned.	No		<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform complies with this requirement.
1194.24(d)	All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain visual information necessary for the comprehension of the content, shall be audio described.	No		<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform complies with this requirement.
1194.24(e)	Display or presentation of alternate text presentation or audio descriptions shall be user-selectable unless permanent.	No		<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform provides alternate text that is user-selectable.

Section 1194.25 Self-contained, closed products

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
--------------	----------------	------------	-------	---	----------------

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
1194.25(a)	Self contained products shall be usable by people with disabilities without requiring an end-user to attach Assistive Technology to the product. Personal headsets for private listening are not Assistive Technology.	Yes	This requirement applies if the video teleconferencing system delivered includes video cameras and projectors.	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform is compatible with relevant assistive technologies such as zoom-in tools and screen-reader tools.
1194.25(b)	When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	Yes	<p>This requirement applies if the video teleconferencing system delivered includes video cameras and projectors.</p> <p>This requirement is also addressed in provision 1194.22(p).</p>	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform does not have timed response requirements.

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
1194.25(c)	Where a product utilizes touchscreens or contact-sensitive controls, an input method shall be provided that complies with Section 1194.23 (k) (1) through (4).	Yes	<p>This requirement applies if the video teleconferencing system delivered includes video cameras and projectors.</p> <p>This requirement includes touchscreens and contact-sensitive controls that can be touched in any way; by the human body, a mouthstick, stylus, pencil, etc.</p> <p>This requirement is addressed in provisions 1194.25(c), 1194.26(a), and 1194.26(b).</p>	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	<p>The YuJa Enterprise Video Platform does not utilize touchscreens.</p>

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
1194.25(d)	When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.	Yes	<p>This requirement applies if the video teleconferencing system delivered includes video cameras and projectors.</p> <p>This requirement is also addressed in provision 1194.26(c).</p>	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	<p>The YuJa Enterprise Video Platform does not utilize biometric forms.</p>
1194.25(e)	When products provide auditory output, the audio signal shall be provided at a standard signal level through an industry standard connector that will allow for private listening. The product must provide the ability to interrupt, pause, and restart the audio at anytime.	Yes	<p>This requirement applies if the video teleconferencing system delivered includes video cameras and projectors.</p> <p>This requirement applies if auditory instructions are provided to the operator.</p> <p>Auditory output includes audio voice output, not audible tones such as beeps.</p>	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	<p>The YuJa Enterprise Video Platform's audio support provides restart, pause, and interrupt capabilities.</p>

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
1194.25(f)	When products deliver voice output in a public area, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. Where the ambient noise level of the environment is above 45 dB, a volume gain of at least 20 dB above the ambient level shall be user selectable. A function shall be provided to automatically reset the volume to the default level after every use.	Yes	<p>This requirement applies if the video teleconferencing system delivered includes video cameras and projectors.</p> <p>This requirement applies, if auditory output is provided through a speaker rather than a personal headset.</p>	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	<p>The YuJa Enterprise Video Platform can provide audio outputs that comply with this requirement.</p>

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
1194.25(g)	Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Yes	<p>This requirement applies if the video teleconferencing system delivered includes video cameras and projectors.</p> <p>This requirement applies, if color is used in the display, touchpad or keypad. If the touchpad or keypad conforms to Section 1194.25(c), then this requirement would not apply.</p> <p>This requirement is also addressed in provision 1194.21(i).</p>	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	<p>The YuJa Enterprise Video Platform does not use color coding as the sole means of conveying information.</p>

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
1194.25(h)	When a product permits a user to adjust color and contrast settings, a range of color selections capable of producing a variety of contrast levels shall be provided.	Yes	<p>This requirement applies if the video teleconferencing system delivered includes video cameras and projectors.</p> <p>This requirement is also addressed in provision 1194.21(j).</p>	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	<p>The YuJa Enterprise Video Platform provides configurable color selections.</p>
1194.25(i)	Products shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	Yes	<p>This requirement applies if the video teleconferencing system delivered includes video cameras and projectors.</p> <p>LED's and illuminated buttons are not covered by this requirement.</p> <p>This requirement is also addressed in provisions 1194.21(k) and 1194.22(j).</p>	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	<p>The YuJa Enterprise Video Platform does generate flicker greater than or lower than the prescribed levels.</p>

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
1194.25(j)(1)	Products which are freestanding, nonportable, and intended to be used in one location and which have operable controls shall comply with the following: The position of any operable control shall be determined with respect to a vertical plane, which is 48 inches in length, centered on the operable control, and at the maximum protrusion of the product within the 48 inch length on products which are freestanding, non-portable, and intended to be used in one location and which have operable controls.	No	If the video conferencing equipment is permanently mounted these provisions could apply.	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform does not incorporate physical capabilities related to this provision.
1194.25(j)(2)	Products which are freestanding, nonportable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.	No	If the video conferencing equipment is permanently mounted these provisions could apply.	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform does not incorporate physical capabilities related to this provision.
1194.25(j)(3)	Products which are freestanding, nonportable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is more than 10 inches and not more than 24 inches behind the reference plane, the height shall be 40 inches maximum and 15 inches minimum above the floor.	No	If the video conferencing equipment is permanently mounted these provisions could apply.	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform does not incorporate physical capabilities related to this provision.

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
1194.25(j)(4)	Products which are freestanding, nonportable, and intended to be used in one location and which have operable controls shall comply with the following: Operable controls shall not be more than 24 inches behind the reference plane.	No	If the video conferencing equipment is permanently mounted these provisions could apply.	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform does not incorporate physical capabilities related to this provision.

Section 1194.26 Desktop and portable computers

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
1194.26(a)	All mechanically operated controls and keys shall comply with Section 1194.23 (k) (1) through (4).	No		<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform does not incorporate physical capabilities related to this provision.
1194.26(b)	If a product utilizes touchscreens or touch-operated controls, an input method shall be provided that complies with Section 1194.23 (k) (1) through (4).	No		<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform does not incorporate physical capabilities related to this provision.

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
1194.26(c)	When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.	No		<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform does not incorporate physical capabilities related to this provision.
1194.26(d)	Where provided, at least one of each type of expansion slots, ports and connectors shall comply with publicly available industry standards.	Yes	Some of the equipment included in the video teleconferencing system, such as cameras, projectors, and monitors require connectors.	<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform does not incorporate physical capabilities related to this provision.

Subpart C -- Functional Performance Criteria

Section 1194.31 Functional performance criteria

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
--------------	----------------	------------	-------	---	----------------

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
1194.31(a)	At least one mode of operation and information retrieval that does not require user vision shall be provided, or support for Assistive Technology used by people who are blind or visually impaired shall be provided.	Yes		<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform provides capabilities to use Assistive Technologies that do not require user vision.
1194.31(b)	At least one mode of operation and information retrieval that does not require visual acuity greater than 20/70 shall be provided in audio and enlarged print output working together or independently, or support for Assistive Technology used by people who are visually impaired shall be provided.	Yes		<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform provides capabilities to use Assistive Technologies that do not require user vision.
1194.31(c)	At least one mode of operation and information retrieval that does not require user hearing shall be provided, or support for Assistive Technology used by people who are deaf or hard of hearing shall be provided.	Yes		<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform provides capabilities to use Assistive Technologies that do not require user hearing.

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
1194.31(d)	Where audio information is important for the use of a product, at least one mode of operation and information retrieval shall be provided in an enhanced auditory fashion, or support for assistive hearing devices shall be provided.	Yes		<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	The YuJa Enterprise Video Platform provides capabilities to use Assistive Technologies in instances where audio information is important.
1194.31(e)	At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for Assistive Technology used by people with disabilities shall be provided.	Yes			The YuJa Enterprise Video Platform provides capabilities to use Assistive Technologies in instances where user speech is required.
1194.31(f)	At least one mode of operation and information retrieval that does not require fine motor control or simultaneous actions and that is operable with limited reach and strength shall be provided.	Yes			The YuJa Enterprise Video Platform provides capabilities to use Assistive Technologies in instances where fine motor control is required.

Subpart D -- Information, Documentation, and Support

Section 1194.41 Information, documentation, and support

Provision ID	Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please explain
1194.41(a)	Product support documentation provided to end-users shall be made available in alternate formats upon request, at no additional charge.	Yes		<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	YuJa Corporation can provide alternate support documentation to accommodate end-user needs at no additional charge.
1194.41(b)	End-users shall have access to a description of the accessibility and compatibility features of products in alternate formats or alternate methods upon request, at no additional charge.	Yes		<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	YuJa Corporation can provide accessibility and compatibility feature information to accommodate end-user needs at no additional charge.
1194.41(c)	Support services for products shall accommodate the communication needs of end-users with disabilities.	Yes		<input checked="" type="checkbox"/> Fully <input type="checkbox"/> Partially <input type="checkbox"/> No	YuJa Corporation's end-user support can accommodate the communicate needs of users with disabilities.